



規格	主要寸法(mm)			基本定格荷重(kgf)	重量
	d	D	Da		
無内外輪					
NTB 1024	10	24	2	730	3.3
NTB 1226	12	26	2	840	3.8
NTB 1528	15	28	2	880	4.1
NTB 1629	16	29	2	910	4.3
NTB 1730	17	30	2	930	4.5
NTB 1831	18	31	2	960	4.7
NTB 2035	20	35	2	1220	6.1
NTB 2542	25	42	2	1400	8.2
NTB 3047	30	47	2	1500	9.4
NTB 3552	35	52	2	1580	10.6
NTB 40603	40	60	3	2450	22
NTB 4565	45	65	3	2620	24.5
NTB 5070	50	70	3	2800	26.5
NTB 5578	55	78	3	3210	33.5
NTB 6085	60	85	3	3340	38.5
NTB 6590	65	90	3	3470	41.5
NTB 7095	70	95	4	4310	61
NTB 75100	75	100	4	4400	65
NTB 80105	80	105	4	4460	68.5
NTB 85110	85	110	4	4550	72
NTB 90120	90	120	4	5600	92
NTB 100135	100	135	4	6760	119
NTB 110145	110	145	4	7220	129
NTB 120155	120	155	4	7410	139
NTB 130170	130	170	5	10700	225




NTB

規格 推力華司	主要寸法(mm)			重量(g)
	d	D	S	
AS 1024	10	24	1	2.9
AS 1226	12	26	1	3.2
AS 1528	15	28	1	3.4
AS 1629	16	29	1	3.6
AS 1730	17	30	1	3.7
AS 1831	18	31	1	3.9
AS 2035	20	35	1	5
AS 2542	25	42	1	6.9
AS 3047	30	47	1	7.9
AS 3552	35	52	1	8.9
AS 4060	40	60	1	12.1
AS 4565	45	65	1	13.3
AS 5070	50	70	1	14.5
AS 5578	55	78	1	18.5
AS 6085	60	85	1	22
AS 6590	65	90	1	23.5
AS 7095	70	95	1	25
AS 75100	75	100	1	26.5
AS 80105	80	105	1	28
AS 85110	85	110	1	29.5
AS 90120	90	120	1	38
AS 100135	100	135	1	50



AS


規格	主要寸法(mm)			重量(g)	
	内輪	d	D		h
WS 1024		10	24	2.75	8
WS 1226		12	26	2.75	8.9
WS 1528		15	28	2.75	9.3
WS 1629		16	29	2.75	9.8
WS 1730		17	30	2.75	10.2
WS 1831		18	31	2.75	10.7
WS 2035		20	35	2.75	13.8
WS 2542		25	42	3	21
WS 3047		30	47	3	24
WS 3052		30	52	4.25	45
WS 3552		35	52	3.5	31.5
WS 3562		35	62	5.25	81
WS 4060		40	60	3.5	42.5
WS 4068		40	68	5	89
WS 4565		45	65	4	53.5
WS 4573		45	73	5.5	108
WS 5070		50	70	4	58.5
WS 5078		50	78	5.5	118
WS 5578		55	78	5	93
WS 5590		55	90	7	225
WS 6085		60	85	4.75	105
WS 6095		60	95	7.5	240
WS 60130		60	130	8	650
WS 6590		65	90	5.25	124




**W S**

冠 精工 軸 承  
CHAMPION BEARING CO. LTD

規格	主要寸法(mm)			重量(g)
	内輪	d	D	
WS 130185	130	185	12	1270
WS 130230	130	230	12	2650
WS 140180	140	180	9.5	740
WS 140195	140	195	12	1350
WS 140240	140	240	12	2790
WS 150190	150	190	9.5	790
WS 150205	150	205	12	1430
WS 150250	150	250	12	2940
WS 160200	160	200	9.5	840
WS 160270	160	270	12	3480
WS 170230	170	230	13	1900
WS 170280	170	280	12	3640
WS 180240	180	240	13	2000
WS 180310	180	310	12	4700
WS 190255	190	255	14	2480
WS 190320	190	320	12	4860
WS 200265	200	265	14	2590
WS 200340	200	340	12	5540

**W S**


規格	主要寸法(mm)			重量(g)
	外輪	d	D	
GS 1024	10	24	2.75	8.0
GS 1226	12	26	2.75	8.9
GS 1528	15	28	2.75	9.3
GS 1629	16	29	2.75	9.8
GS 1730	17	30	2.75	10.2
GS 1831	18	31	2.75	10.7
GS 2035	20	35	2.75	13.8
GS 2542	25	42	3	21.0
GS 3047	30	47	3	24.0
GS 3052	30	52	4.25	45.0
GS 3552	35	52	3.5	31.5
GS 3562	35	62	5.25	81.0
GS 4060	40	60	3.5	42.5
GS 4068	40	68	5	89.0
GS 4565	45	65	4	53.5
GS 4573	45	73	5.5	108.0
GS 5070	50	70	4	58.5
GS 5078	50	78	5.5	118
GS 5578	55	78	5	93
GS 5590	55	90	7	225
GS 6085	60	85	4.75	105
GS 6095	60	95	7.5	240
GS 60130	60	130	8	650



**GS**


承

規格	主要寸法(mm)			重量(g)
	外輪	d	D	
GS 6590	65	90	5.25	124
GS 65100	65	100	8	275
GS 7095	70	95	5.25	132
GS 70105	70	105	8	290
GS 70140	70	140	8	680
GS 75100	75	100	5.75	153
GS 75110	75	110	8	310
GS 80105	80	105	5.75	162
GS 80115	80	115	8.5	345
GS 80150	80	50	8	790
GS 85110	85	110	5.75	170
GS 85125	85	125	9.5	475
GS 90120	90	120	6.5	250
GS 90135	90	135	10.5	645
GS 90160	90	160	8	855
GS 100135	100	135	7	350
GS 100150	100	150	11.5	870
GS 100190	100	190	12	1920
GS 110145	110	145	7	380
GS 110160	110	160	11.5	950
GS 110200	110	200	12	2060
GS 120155	120	155	7	410
GS 120175	120	175	12	1190




GS

規格	主要寸法(mm)			重量(g)
	外輪	d	D	
GS 120220	120	220	12	2500
GS 130170	130	170	9	660
GS 130850	130	185	12	1270
GS 130230	130	230	12	2650
GS 140180	140	180	9.5	745
GS 140195	140	195	12	1350
GS 140240	140	240	12	2790
GS 150190	150	190	9.5	790
GS 150205	150	205	12	1430
GS 150250	150	250	12	2940
GS 160200	160	200	9.5	840
GS 160270	160	270	12	3480
GS 170230	170	230	13	1900
GS 170280	170	280	12	3640
GS 180240	180	240	13	2000
GS 180310	180	310	12	4700
GS 190255	190	255	14	2480
GS 190320	190	320	12	4860
GS 200265	200	265	14	2590
GS 200340	200	340	12	5540



**GS**


規格	主要寸法(mm)			基本定格荷重(kgf)	重量(g)
	d	D	H	C	
AZ 10249	10	24	9	950	24.6
AZ 12269	12	26	9	1020	26.5
AZ 15289	15	28	9	1080	28
AZ 17309	17	30	9	1140	30.5
AZ 203510	20	35	10	1840	45.5
AZ 254211	25	42	11	2360	70
AZ 304711	30	47	11	2680	79
AZ 305216	30	52	16	4040	160
AZ 355212	35	52	12	2840	99
AZ 356218	35	62	18	4900	260
AZ 406013	40	60	13	4050	139
AZ 406819	40	68	19	6630	310
AZ 456514	45	65	14	4150	169
AZ 457320	45	73	20	7430	360
AZ 507014	50	70	14	4400	185
AZ 507822	50	78	22	9730	430
AZ 557816	55	78	16	5140	275
AZ 559025	55	90	25	10800	725
AZ 608517	60	85	17	6600	345
AZ 609526	60	95	26	11200	770
AZ 6013026	60	130	26	16400	2090
AZ 659018	65	90	18	6900	380
AZ 6510027	65	100	27	11600	860
AZ 709518	70	95	18	7140	420



A Z




規格	主要寸法(mm)			基本定格荷重(kgf)	重量(g)
	d	D	H	C	
AZ 7010527	70	105	27	11900	905
AZ 7014026	70	140	26	17400	2250
AZ 7510019	75	100	19	7250	465
AZ 7511027	75	110	27	12500	960
AZ 8010519	80	105	19	7340	495
AZ 8011528	80	115	28	12800	1060
AZ 8015026	80	150	26	18500	2500
AZ 8511019	85	110	19	7500	530
AZ 8512531	85	125	31	14400	1460
AZ 9012022	90	120	22	9660	790
AZ 9013535	90	135	35	18600	2040
AZ 9016026	90	160	26	19500	2710
AZ 10013525	100	135	25	13600	1190
AZ 10015038	100	150	38	22100	2720
AZ 10019039	100	190	39	34800	5960
AZ 11014525	110	145	25	14300	1350
AZ 11016040	110	160	40	28400	3220
AZ 11020039	110	200	39	37400	6400
AZ 12015525	120	155	25	14900	1450
AZ 12017542	120	175	42	32400	4020




**A Z**

規格	主要寸法(mm)			基本定格荷重(kgf)	重量(g)
	d	D	H	C	
AZ 12022039	120	220	39	42300	7730
AZ 13017030	130	170	30	17500	2180
AZ 13018542	130	185	42	33100	4300
AZ 13023039	130	230	39	43200	8240
AZ 14018031	140	180	31	18200	2410
AZ 14019542	140	195	42	35600	4560
AZ 14024039	140	240	39	44500	8680
AZ 15019031	150	190	31	18400	2560
AZ 15020542	150	205	42	36200	4840
AZ 15025039	150	250	39	45800	9140
AZ 16020031	160	200	31	19100	2710
AZ 16027039	160	270	39	52000	10800
AZ 17023045	170	230	45	41300	6220
AZ 17028039	170	280	39	53500	11300
AZ 18024045	180	240	45	42500	6540
AZ 18031039	180	310	39	62900	14600
AZ 19025548	190	255	48	46800	8060
AZ 19032039	190	320	39	67300	15000
AZ 20026548	200	265	48	47300	8430
AZ 20034039	200	340	39	71600	17200



**A Z**


規格	主要寸法(mm)			基本定格荷重(kgf)	重量(g)
	無内外輪	d	D		
AZK 10243.5	10	24	3.5	950	8.6
AZK 12263.5	12	26	3.5	1020	8.8
AZK 15283.5	15	28	3.5	1080	9.3
AZK 17303.5	17	30	3.5	1140	10.1
AZK 20354.5	20	35	4.5	1840	18
AZK 25425	25	42	5	2360	28
AZK 30475	30	47	5	2680	31
AZK 30527.5	30	52	7.5	4040	70
AZK 35525	35	52	5	2840	36
AZK 35627.5	35	62	7.5	4900	98.5
AZK 40606	40	60	6	4050	54
AZK 40689	40	68	9	6630	130
AZK 45656	45	65	6	4150	62
AZK 45739	45	73	9	7430	145
AZK 50706	50	70	6	4400	68
AZK 507811	50	78	11	9730	192
AZK 55786	55	78	6	5140	87
AZK 559011	55	90	11	10800	275
AZK 60857.5	60	85	7.5	6600	134
AZK 609511	60	95	11	11200	290
AZK 6013010	60	130	10	16400	785
AZK 65907.5	65	90	7	6900	134
AZK 6510011	65	100	11	11600	310



A Z K

承


規格	主要寸法(mm)			基本定格荷重(kgf)	重量(g)
	無内外輪	d	D		
AZK 70957.5	70	95	7.5	7140	155
AZK 7010511	70	105	11	11900	325
AZK 7014010	70	140	10	17400	895
AZK 751007.5	75	100	7.5	7250	160
AZK 7511011	75	110	11	12500	340
AZK 801057.5	80	105	7.5	7340	171
AZK 8011511	80	115	11	12800	365
AZK 8015010	80	150	10	18500	915
AZK 851107.5	85	110	7.5	7500	192
AZK 8512512	85	125	12	14400	505
AZK 901209	90	120	9	9660	290
AZK 9013514	90	135	14	18600	750
AZK 9016010	90	160	10	19500	995
AZK 10013511	100	135	11	13600	490
AZK 10015015	100	150	15	22100	985
AZK 10019015	100	190	15	34800	2120
AZK 11014511	110	145	11	14300	590
AZK 11016017	110	160	17	28400	1320
AZK 11020015	110	200	15	37400	2280
AZK 12015511	120	155	11	14900	630
AZK 12017518	120	175	18	32400	1640
AZK 12022015	120	220	15	42300	2730
AZK 13017012	130	170	12	17500	860



A Z K


承

規格	主要寸法(mm)			基本定格荷重(kgf)	重量(g)
	無内外輪	d	D		
AZK 13018518	130	185	18	33100	1760
AZK 13023015	130	230	15	43200	2940
AZK 14018012	140	180	12	18200	920
AZK 14019518	140	195	18	35600	1860
AZK 14024015	140	240	15	44500	3100
AZK 15019012	150	190	12	18400	980
AZK 15020518	150	205	18	36200	1980
AZK 15025015	150	250	15	45800	3260
AZK 16020012	160	200	12	19100	1030
AZK 16027015	160	270	15	52000	3850
AZK17023019	170	230	19	41300	2410
AZK 17028015	170	280	15	53500	4030
AZK 18024019	180	240	19	42500	2540
AZK 18031015	180	310	15	62900	5200
AZK 19025520	190	255	20	46800	3110
AZK 19032015	190	320	15	67300	5290
AZK 20026520	200	265	20	47300	3250
AZK 20034015	200	340	15	71600	6120




A Z K


承



基本型號	主要寸法(mm)				基本定格荷重(kgf)		極限速率(rpm)
	d	D	H	r	C	CO	油潤滑
29412	60	130	42	2.5	22400	41000	2000
29413	65	140	45	3	26100	49500	2400
29414	70	150	48	3	30000	58000	2200
29415	75	160	51	3	34500	60000	2100
29416	80	170	54	3.5	35500	69000	1900
29317	85	150	39	2.5	23100	47000	2300
29417		180	58	3.5	42000	82000	1800
29318	90	155	39	2.5	23800	49500	2300
29418		190	60	3.5	45500	89000	1700
29320	100	170	42	2.5	26200	55500	2100
29420		210	67	4	54500	100000	1500
29322	110	190	48	3	34500	75500	1800
29422		230	23	4	69000	139000	1400
29324	120	210	54	3.5	39500	85000	1000
29424		250	78	5	77000	159000	1300
29320	130	225	58	3.5	45500	98000	1500
29420		230	85	5	58500	167000	1200




基本型號	主要寸法(mm)				基本定格荷重(kgf)		極限速率(rpm)
	d	D	H	r	C	CO	油潤滑
29320	140	240	60	3.5	51500	114000	1400
29428		280	85	5	91500	198000	1200
29230	150	215	39	2.5	27500	6700	1800
29330		250	60	3.5	52500	119000	1400
29430	160	300	90	5	100000	221000	1100
29232		225	39	2.5	29300	74000	1700
29332	170	270	67	4	67000	149000	1300
29432		320	95	6	115000	256000	1000
29234	180	240	42	2.5	34000	45000	1600
29334		280	67	4	67500	151000	1200
29434	190	340	103	6	133000	300000	940
29236		250	42	2.5	34500	90500	1600
29336	190	300	73	4	79000	180000	1100
29436		380	100	6	149000	345000	880
29238	190	270	48	3	47500	130000	1400
29338		320	78	5	88000	203000	1100
29438		380	115	6	15300	365000	940




基本型號	主要寸法(mm)				基本定格荷重(kgf)		極限速率(rpm)
	d	D	H	r	C	CO	油潤滑
29340	200	340	85	5	108000	284000	1000
29440		400	122	6	188000	470000	800
29344	220	360	85	5	110000	297000	950
29444		420	122	8	193000	495000	800
29248	240	340	60	3.5	64000	189000	1200
29348		380	85	5	111000	310000	900
29448		440	122	8	198000	525000	750
29252	260	360	60	3.5	70000	218000	1100
29352		420	95	6	139000	385000	800
29452		480	132	8	221000	590000	710
29256	280	380	60	3.5	72500	231000	1100
29356		440	95	6	142000	415000	800
29456		520	145	8	278000	750000	630
29260	300	420	73	4	94500	291000	950
29360		480	109	6	180000	515000	710
29460		540	145	8	285000	785000	600





基本型號	主要寸法(mm)				基本定格荷重(kgf)		極限速率(rpm)
	d	D	H	r	C	CO	油潤滑
29264	320	440	73	4	97500	310000	950
29364		500	109	6	1741000	515000	670
29464		580	155	10	299000	840000	560
29268	340	460	73	4	100000	325000	900
29368		540	122	6	216000	635000	630
29468		620	170	10	360000	1000000	530
29272	360	500	85	5	125000	405000	800
29372		560	122	6	219000	655000	600
29472		640	170	10	370000	1050000	500
29276	380	520	85	5	127000	415000	750
29376		600	132	8	269000	825000	560
29476		670	175	10	395000	1120000	480
29280	400	540	85	5	129000	430000	750
29380		620	132	8	265000	820000	530
29480		710	185	10	440000	1270000	450



基本型號	主要寸法(mm)				基本定格荷重(kgf)		極限速率(rpm)
	d	D	H	r	C	CO	油潤滑
29284	420	580	95	6	165000	555000	670
29384		650	140	8	285000	890000	500
29484		730	185	10	460000	1350000	430
29288	440	600	95	6	167000	565000	670
29388		680	145	8	305000	950000	480
29488		780	206	12	535000	1560000	400
29292	460	620	95	6	168000	580000	630
29392		710	150	8	325000	1010000	450
29492		800	206	12	555000	1640000	380
29296	480	650	103	6	194000	680000	600
29396		730	150	8	340000	1080000	450
29496		850	224	12	590000	1780000	360
292/500	500	670	103	6	196000	700000	600
293/500		750	150	8	355000	1160000	450
294/500		870	224	12	625000	1880000	340