




型號	主要寸法				基本定格荷重		極限速率	重量
	d	Fw	Ew	Bc	C	CO	rpm	g
KT367N	3	3	6	7	150	100	140000	0.39
KT477N	4	4	7	7	180	130	100000	0.47
KT587N	5	5	8	7	190	140	85000	0.53
KT588N		5	8	8	250	200	85000	0.66
KT697N	6	6	9	7	240	190	75000	0.63
KT698N		6	9	8	280	240	75000	0.75
KT6910		6	9	10	310	270	75000	1.45
KT61013		6	10	13	450	380	75000	2.70
KT7108N	7	7	10	8	300	270	65000	0.86
KT71010		7	10	10	340	320	65000	1.69
KT8118N	8	8	11	8	320	310	60000	0.96
KT81110		8	11	10	370	370	60000	1.90
KT81113		8	11	13	460	480	60000	2.50
KT8128		8	12	8	370	310	60000	2.10
KT81211		8	12	11	470	420	60000	3.00
KT91210	9	9	12	10	400	420	55000	2.10
KT91213		9	12	13	490	550	55000	2.80
KT10138	10	10	13	8	340	350	50000	1.90
KT101310		10	13	10	420	460	50000	2.30
KT101313		10	13	13	530	610	50000	3.00
KT101410		10	14	10	500	480	50000	3.20
KT101412		10	14	12	610	610	50000	3.80
KT101413		10	14	13	620	630	50000	4.20
KT101415		10	14	15	720	770	50000	4.80




型號	主要寸法				基本定格荷重		極限速率	重量	
	d	Fw	Ew	Bc	C	CO	rpm	g	
KT111410	11	11	14	10	450	510	45000	2.5	
KT12158	12	12	15	8	380	430	40000	2.2	
KT121510		12	15	10	470	560	40000	2.7	
KT121512		12	15	12	570	720	40000	3.2	
KT121513		12	15	13	580	740	40000	3.6	
KT121514		12	15	14	630	820	40000	3.8	
KT121610		12	16	10	580	600	40000	4.0	
KT121613		12	16	13	720	800	40000	5.2	
KT121618		12	16	18	1000	1220	40000	7.0	
KT121710		12	17	10	630	580	40000	5.1	
KT121812		12	18	12	920	860	40000	7.8	
KT121820		12	18	20	1400	1470	40000	13.2	
KT131710		13	13	17	10	610	660	40000	4.3
KT131815			13	18	15	990	1060	40000	8.2
KT131816			13	18	16	1050	1160	40000	8.7
KT14188	14	14	18	8	520	550	35000	3.7	
KT141810		14	18	10	640	720	35000	4.6	
KT141811		14	18	11	670	760	35000	5.2	
KT141813		14	18	13	800	960	35000	6.0	
KT141816		14	18	16	990	1270	35000	7.3	
KT141910		14	19	10	730	730	35000	5.9	
KT141916		14	19	16	1130	1290	35000	9.4	
KT141918		14	19	18	1270	1500	35000	10.5	
KT142012		14	20	12	1000	990	35000	8.7	
KT142017		14	20	17	1360	1470	35000	12.4	




型號	主要寸法			基本定格荷重		極限速率	重量	
	d	Fw	Ew	Bc	C	CO	rpm	g
KT15199	15	15	19	9	620	710	35000	4.4
KT151910		15	19	10	680	790	35000	4.9
KT151911		15	19	11	700	820	35000	5.5
KT151913		15	19	13	840	1040	35000	6.4
KT151917		15	19	17	1110	1480	35000	8.2
KT151918		15	19	18	1170	1600	35000	8.7
KT152010		15	20	10	770	810	35000	6.3
KT152115		15	21	15	1280	1380	35000	11.9
KT162010		16	16	20	10	710	850	30000
KT162013	16		20	13	880	1120	30000	6.8
KT162016	16		20	16	1090	1480	30000	8.3
KT162017	16		20	17	1160	1600	30000	8.7
KT162118	16		21	18	1420	1810	30000	12.0
KT162120	16		21	20	1500	1930	30000	13.6
KT162125	16		21	25	1870	2560	30000	16.6
KT162212	16		22	12	1070	1110	30000	9.7
KT162214	16		22	14	1190	1270	30000	11.5
KT162217	16		22	17	1450	1640	30000	13.8
KT162220	16		22	20	1620	1890	30000	16.5
KT162420	16		24	20	1880	1940	30000	23.5
KT172110	17	17	21	10	740	910	30000	5.5
KT172113		17	21	13	920	1210	30000	7.2
KT172115		17	21	15	1060	1470	30000	8.2
KT172117		17	21	17	1210	1720	30000	9.3
KT172220		17	22	20	1580	2100	30000	14.0
KT172311		17	23	11	1030	1070	30000	9.6
KT172315		17	23	15	1360	1540	30000	13.1
KT172418		17	24	18	1680	1840	30000	18.6




型號	主要寸法				基本定格荷重		極限速率	重量	
	d	Fw	Ew	Bc	C	CO	rpm	g	
KT18228	18	18	22	8	620	740	30000	4.7	
KT182210		18	22	10	760	970	30000	5.8	
KT182213		18	22	13	950	1290	30000	7.6	
KT182216		18	22	16	1180	1700	30000	9.2	
KT182412		18	24	12	1200	1330	30000	11.0	
KT182416		18	24	16	1540	1830	30000	14.8	
KT182417		18	24	17	1630	1980	30000	15.7	
KT182420		18	24	20	1820	2280	30000	18.7	
KT182517		18	25	17	1710	1890	30000	18.8	
KT182519		18	25	19	1900	2180	30000	21.0	
KT182522		18	25	22	2100	2470	30000	24.5	
KT182614		18	26	14	1490	1470	30000	18.1	
KT182620		18	26	20	2040	2200	30000	26.0	
KT202410		20	20	24	10	790	1040	25000	6.3
KT202413			20	24	13	980	1380	25000	8.3
KT202417			20	24	17	1290	1970	25000	10.6
KTW202422	20		24	22	1390	2170	25000	14.6	
KT202525	20		25	25	2030	3040	25000	19.7	
KTW202531.6	20		25	31.6	2210	3380	25000	26.5	
KTW202540	20		25	40	2800	4580	25000	32.5	
KT202611	20		26	11	1140	1280	25000	11.1	
KT202612	20		26	12	1260	1460	25000	12.0	
KT202614	20		26	14	1400	1670	25000	14.2	
KT202617	20		26	17	1710	2170	25000	17.0	
KT202620	20		26	20	1910	2490	25000	20.5	
KT202624	20		26	24	2290	3150	25000	24.0	
KT202627	20		26	27	2660	3810	25000	26.5	
KT202814	20	28	14	1600	1650	25000	20.0		
KT202820	20	28	20	2190	2470	25000	29.0		
KT203225	20	32	25	3140	3110	25000	49.5		



型號	主要寸法				基本定格荷重		極限速率	重量
	d	Fw	Ew	Bc	C	CO	rpm	g
KT212610	21	21	26	10	930	1120	25000	8.5
KT212611		21	26	11	960	1170	25000	9.6
KT222610	22	22	26	10	840	1170	25000	6.9
KT222613		22	26	13	1040	1550	25000	9.1
KT222617		22	26	17	1370	2200	25000	11.6
KTW222625		22	26	25	1740	2990	25000	17.7
KT222720		22	27	20	1770	2620	25000	17.9
KT222726		22	27	26	2290	3650	25000	22.5
KT222817		22	28	17	1790	2340	25000	18.4
KT222912		22	29	12	1310	1430	25000	16.1
KT222916		22	29	16	1790	2130	25000	21.0
KT222917		22	29	17	1910	2310	25000	22.5
KT222918		22	29	18	2020	2490	25000	23.5
KT222920		22	29	20	2130	2660	25000	26.5
KT223015		22	30	15	1830	2000	25000	23.5
KT223230		22	32	30	3710	4360	25000	52.5
KT223232		22	32	32	3950	4720	25000	56.0
KT232824		23	23	28	24	2200	3520	20000
KT232913	23		29	13	1410	1750	20000	15.1
KT233015	23		30	15	1770	2120	20000	21.0
KT233016	23	30	16	1890	2310	20000	22.0	
KT242813	24	24	28	13	1100	1710	20000	9.9
KT242816		24	28	16	1370	2260	20000	12.0
KTW242834		24	28	34	2200	4150	20000	27.0
KT242913		24	29	13	1290	1800	20000	12.8
KT243020	24	30	20	2070	2910	20000	23.5	




型號	主要寸法			基本定格荷重		極限速率	重量	
	d	Fw	Ew	Bc	C	CO	rpm	g
KT252910	25	25	29	10	910	1360	20000	7.9
KT252913		25	29	13	1130	1790	20000	10.3
KT253013		25	30	13	1330	1900	20000	13.3
KT253016		25	30	16	1660	2510	20000	16.2
KT253017		25	30	17	1760	2710	20000	17.1
KT253020		25	30	20	1890	2960	20000	20.0
KT253113		25	31	13	1460	1880	20000	16.2
KT253116		25	31	16	1820	2490	20000	19.6
KT253117		25	31	17	1930	2700	20000	20.5
KT253120		25	31	20	2160	3110	20000	25.0
KT253216		25	32	16	1980	2500	20000	23.5
KT253224		25	32	24	2820	3950	20000	35.0
KT253515		25	35	15	2300	2430	20000	33.0
KT253525		25	35	25	3320	3870	20000	48.0
KT253530		25	35	30	3980	4900	20000	58.0
KT263013		26	26	30	13	1160	1880	19000
KT263832	26		38	32	4810	5640	19000	79.5
KT283313	28	28	33	13	1410	2110	18000	14.8
KT283317		28	33	17	1860	3010	18000	18.9
KT283327		28	33	27	2690	4820	18000	29.0
KT283417		28	34	17	2070	3050	18000	23.0
KT283516		28	35	16	2050	2700	18000	26.0
KT283528		28	35	28	3390	5160	18000	44.5
KT283620		28	36	20	2700	3530	18000	38.5
KT284138		28	41	38	5980	7240	18000	110.0






型號	主要寸法			基本定格荷重		極限速率	重量	
	d	Fw	Ew	Bc	C	CO	rpm	g
KT303513	30	30	35	13	1440	2210	17000	15.6
KT303516		30	35	16	1790	2930	17000	18.9
KT303517		30	35	17	1900	3170	17000	20.0
KT303524		30	35	24	2540	4590	17000	28.5
KT303527		30	35	27	2840	5310	17000	31.5
KT303613		30	36	13	1610	2250	17000	19.1
KT303620		30	36	20	2380	3720	17000	29.5
KT303630		30	36	30	3390	5860	17000	41.5
KT303715		30	37	15	1990	2650	17000	26.0
KT303716		30	37	16	2120	2890	17000	27.5
KT303720		30	37	20	2520	3610	17000	35.0
KT303723		30	37	23	2900	4330	17000	39.5
KT303818		30	38	18	2670	3550	17000	36.5
KT303824		30	38	24	3390	4810	17000	48.5
KT304232		30	42	32	5510	6950	17000	93.0
KTW304237		30	42	37	5710	7280	17000	117.0
KT323713		32	32	37	13	1510	2420	16000
KT323717	32		37	17	2000	3460	16000	21.5
KT323723	32		37	23	2480	4570	16000	28.5
KT323813	32		38	13	1710	2490	16000	20.5
KT323820	32		38	20	2530	4110	16000	31.5
KT323916	32		39	16	2200	3080	16000	29.0
KT323920	32		39	20	2610	3840	16000	37.0
KT324519	32		45	19	3440	3670	16000	63.5
KT324525	32		45	25	4650	5410	16000	84.5
KT324532	32		45	32	5960	7450	16000	109.0
KT324550	32	45	50	8310	11400	16000	162.0	




型號	主要寸法			基本定格荷重		極限速率	重量	
	d	Fw	Ew	Bc	C	CO	rpm	g
KT354013	35	35	40	13	1580	2630	14000	18.1
KT354017		35	40	17	2090	3760	14000	23.0
KT354026		35	40	26	2930	5800	14000	34.5
KT354113		35	41	13	1800	2740	14000	22.5
KT354216		35	42	16	2350	3450	14000	32.0
KT354218		35	42	18	2650	4030	14000	35.5
KT354220		35	42	20	2790	4310	14000	40.5
KT354230		35	42	30	4150	7170	14000	59.0
KT354525		35	45	25	4290	5900	14000	68.5
KT364216		36	36	42	16	2230	3640	14000
KT384417	38	38	44	17	2430	4120	13000	30.5
KT385320		38	46	20	3110	4630	13000	50.0
KT385332		38	46	32	4620	7710	13000	80.0
KT404513	40	40	45	13	1710	3040	12000	20.5
KT404517		40	45	17	2260	4350	12000	265.0
KT404527		40	45	27	3300	7060	12000	41.0
KT404817		40	48	17	2870	4240	12000	44.0
KT404820		40	48	20	3210	4890	12000	52.5
KT404825		40	48	25	4010	6530	12000	64.5
KT404834		40	48	34	5210	9140	12000	87.5
KT405015		40	50	15	2880	3660	12000	48.5
KT405017		40	50	17	3080	4000	12000	56.5
KT405020		40	50	20	3640	4950	12000	61.0
KTW405238		40	52	38	6620	9490	12000	158.0
KT405432		40	54	32	6820	8880	12000	144.0
KT405450		40	54	50	9540	13600	12000	215.0
KT405463		40	54	63	11700	17800	12000	270.0
KT414835	41	41	48	35	4880	9250	12000	78.5





型號	主要寸法				基本定格荷重		極限速率	重量
	d	Fw	Ew	Bc	C	CO	rpm	g
KT424717	42	42	47	17	2290	4500	12000	27.5
KT424815		42	48	15	2280	3940	12000	30.0
KT424816		42	48	16	2440	4290	12000	32.0
KT425020		42	50	20	3300	5170	12000	55.0
KT425030		42	50	30	4910	8610	12000	80.5
KT455017	45	45	50	17	2370	4810	11000	29.5
KT455327		45	55	27	3550	8060	11000	46.0
KT455320		45	53	20	3390	5440	11000	58.0
KT455325		45	53	25	4240	7250	11000	71.5
KT455330		45	53	30	4880	8700	11000	86.0
KT455335		45	53	35	5500	10200	11000	101.0
KT455527		45	55	27	5140	7980	11000	90.5
KT485320	48	48	53	20	2730	5870	10000	37.0
KT485420		48	54	20	3130	6160	10000	46.0
KT505520	50	50	55	20	2760	6050	10000	38.5
KT505527		50	55	27	3630	8580	10000	50.5
KT505820		50	58	20	3660	6230	10000	65.0
KT505825		50	58	25	4580	8300	10000	80.0
KT505830		50	58	30	5270	9960	10000	96.5
KT505835		50	58	35	5940	11600	10000	113.0
KT525817	52	52	58	17	2890	5710	9500	41.0
KT526024		52	60	24	4490	8240	9500	80.0
KT556020	55	55	60	20	2910	6730	9000	42.5
KT556027		55	60	27	3840	9570	9000	55.5
KT556120		55	61	20	3330	6980	9000	52.0
KT556315		55	63	15	3000	4970	9000	52.5
KT556320		55	63	20	3810	6770	9000	71.0
KT556325		55	63	25	4770	9030	9000	87.0
KT586320	58	58	63	20	2990	7080	8500	44.5
KT586420		58	64	20	3420	7390	8500	54.5



型號	主要寸法				基本定格荷重		極限速率	重量
	d	Fw	Ew	Bc	C	CO	rpm	g
KT606520	60	60	65	20	3020	7240	8500	45.5
KT606820		60	68	20	3970	7310	8500	76.5
KT606825		60	68	25	4960	9750	8500	94.0
KT606827		60	68	27	5340	10700	8500	101.0
KT607236		60	72	36	8850	15500	8500	205.0
KT637120	63	63	71	20	4030	7600	8000	79.5
KT657320	65	65	73	20	4200	8110	7500	83.5
KT657330		65	73	30	6050	13000	7500	124.0
KT687620	68	68	76	20	4270	8380	7500	86.5
KT707820	70	70	78	20	4330	8650	7000	89.0
KT707830		70	78	30	6240	13800	7000	132.0
KT728020	72	72	80	20	4410	8930	7000	91.5
KT758320	75	75	83	20	4470	9210	6500	94.5
KT758325		75	83	25	5590	12300	6500	116.0
KT758330		75	83	30	6440	14700	6500	141.0
KT758335		75	83	35	7260	17200	6500	164.0
KT808822	80	80	88	22	5070	11000	6000	110.0
KT808825		80	88	25	5750	13000	6000	123.0
KT808830		80	88	30	6620	15600	6000	149.0
KT859112	85	85	91	12	2570	5790	6000	44.5
KT859325		85	93	25	5890	13700	6000	130.0
KT859330		85	93	30	6790	16400	6000	157.0
KT909825	90	90	98	25	6160	14800	5500	138.0
KT909830		90	98	30	7090	17700	5500	167.0
KT9510330	95	95	103	30	7230	18600	5500	175.0
KT10010830	100	100	108	30	7400	19500	4500	184.0

